

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	"6141113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 14:22
S2	1	"6141113" and pulse \$1 with resistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 14:22
S3	7	"6141113" and pulse \$1 and resistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/20 06:04
S4	1	"6141113" and magnitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 15:54
S5	7	"6141113" and (voltage current) same resistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 15:58
S6	7	"6141113" and resistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 16:03
S7	816	(voltage\$1 current\$1 volt\$1 amp\$1) with (amplitude\$1 magnitude\$1) with (resistor\$1) and printer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 16:03

S8	22	(voltage\$1 current\$1 volt\$1 amp\$1) with (amplitude\$1 magnitude\$1) with (resistor\$1) with (fire \$1 firing) and printer \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 16:55
S9	17	S8 and (fir\$3 with (voltage\$1 energy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 16:57
S10	3	"6318828" and (fir\$3 with (voltage\$1 energy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/18 16:57
S11	62	"20020145639" "5053790" "5920331" "6565176" "5677577"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/20 06:04
S12	17	"6,318,828"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/30 15:33
S13	5	"6,318,828" and resistor\$1 with cycle \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/30 15:35
S14	2	"6318828" and (variable varying) with resistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/30 18:06
S15	1458	(voltage\$1 current\$1 volt\$1 amp\$1) with (variable varying) with (resistor\$1) and printer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/05/01 10:21
S16	72	(voltage\$1 current\$1 volt\$1 amp\$1) with (variable varying) with (resistor\$1) and printer\$1 and print \$1head\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/05/01 10:26

S17	7	("5418558"   "5428376"   "5714989"   "5726690"   "6086190"   "6315381").PN. OR ("6474772").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/01 10:31
S19	2	(voltage\$1 current\$1 volt\$1 amp\$1) with (variable varying) with (resistor\$1) and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/05/01 10:32
S20	1	"6409298" and number with voltage \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/05/01 11:47
S21	2	"6409298" and number same voltage \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/05/01 11:52

5/ 1/ 08 1:05:13 PM

C:\ Documents and Settings\ yqin\ My Documents\ EAST\ Workspaces\ YQ case 124 -  
Eaton - printhead firing.wsp